
Detecting Boosted Dark Matter with Neutrino Experiments

Yanou Cui Perimeter Institute for Theoretical Physics

> SN@DUNE workshop Mar 12, 2016

What is Dark Matter ?


Dark Matter: 85% of cosmic matter abundance!
 Cold, non-relativistic



Big mystery! Demand new particle physics beyond the Standard Model !


A New Opportunity of Probing Dark Matter with Neutrino Experiments

• It is NOT the familiar indirect detection




- It IS: direct detection of a (small) relativistic component of dark matter
 - Boosted Dark Matter! (NEW)

May be the smoking gun signal for DM!



e.g. Hidden dark matter sector with multiple components


WIMP DM miracle: merits and challenges



 But no convincing signal yet: many years, many experiments...

e.g. Hidden dark matter sector with multiple components


WIMP DM miracle: merits and challenges



Not looking at the right signal channel(s)?

e.g. Extended dark matter sector with multiple components


A New Realization of WIMP Miracle



- Determines $\Omega_{DM}!$
- Conventional signals absent/suppressed


e.g. Extended dark matter sector with multiple components

A New Realization of WIMP Miracle




- Determines $\Omega_{DM}!$
- Conventional signals absent/suppressed

- Massive X (m_X ≥ eV): Ω_X >1
- $rightarrow deplete X via annihilation \rightarrow SM$




e.g. Extended dark matter sector with multiple components





- Massive X ($m_X \ge eV$): $\Omega_X > 1$

deplete X via annihilation \rightarrow SM B



• Determines $\Omega_{DM}!$

Conventional signals


absent/suppressed

Novel signal: Boosted DM (X) (Vs. "slow" DM) !

JCAP 1410 (2014) 062, **YC** w/Agashe, Necib, Thaler; JCAP 1502 (2015), YC w/Berger, Zhao

e.g. Extended dark matter sector with multiple components






• Massive X ($m_X \ge eV$): $\Omega_X > 1$

G

- Determines $\Omega_{DM}!$
- Conventional signals absent/suppressed




- deplete X via annihilation \rightarrow SM
- Novel signal: Boosted DM (X) (Vs. "slow" DM) !

JCAP 1410 (2014) 062, **YC** w/Agashe, Necib, Thaler; JCAP 1502 (2015), YC w/Berger, Zhao

Dark matter lives in a hidden sector! (DM, X, +...) •


How to Search for Boosted DM?

- Small flux $\propto n_{\rm DM-A}^2$
- Boosted incoming B
 - ⇒ Relativistic outgoing e⁻, p



How to Search for Boosted DM?

- Small flux $\propto n_{\rm DM-A}^2$
- Boosted incoming B
 - ⇒ Relativistic outgoing e⁻, p




What experiments?

Large volume detector + sensitive to energetic e⁻, p

(Conventional DM direct detection 😕)

How to Search for Boosted DM?

- Small flux $\propto n_{\rm DM-A}^2$
- Boosted incoming B
 - ⇒ Relativistic outgoing e⁻, p



What experiments?

Conventional DM direct detection (Conventional DM direct detection)

Experiments for neutrinos or proton decay!


- Cherenkov-radiation: SuperK/HyperK, IceCube/PINGU...
- Liquid scintillator: Borexino, JUNO...
- Liquid Argon: *DUNE/LBNF*!



Search Strategies for Boosted DM


-A combination of conventional DM indirect & direct detections

Signals from the galactic center:



Signals for Boosted DM

• Single e⁻ and/or single proton track (model dependence)



How to Distinguish Boosted DM from Neutrinos?


• Directionality:

Boosted DM: from DM concentrated region, e.g. GC, Sun...

Vs. (atmospheric) neutrino: isotropic

Interaction:

Boosted DM interaction: neutral current-like only, Vs. Neutrino: neutral current + charged current



No correlated muon, muon veto

Outlook - Great Opportunity at DUNE

Desirable Factors

- Large volume detector
- Good angular resolution (directionality)
- Low energy threshold: $E_k \sim O(MeV)$ for both e^- and p?
 - Spectrum peaks at low *E*: light γ '
 - Low mass dark matter (sub-GeV)
 (work in progress: YC w/Pappadopulo, Ruderman, YC w/Pospelov, Pradler)
 - Benefit Supernova-, solar- neutrino studies as well!

(Super-K, IceCube: limited by Cherenkov threshold; Borexino, JUNO: sensitive to *E~MeV; DUNE?*)

We look forward to interactions with neutrino physicists at DUNE!

(Already substantial interests from experimentalists at Super-K, Microboone)

Thank you!

My email: <u>ycui@perimeterinstitute.ca</u>

Backup slides

Motivation of Boosted Dark Matter 2. Other motivations

 $\cdot Z_3$ semi-annihilating DM DM $m_V < m_{\rm DM}$ dark matter: Y DM DM Self-annihilating DM dark matter: DM DM DN X Decaying dark matter: $\gamma_X = m_{\rm DM}/2m_X$ DM X

Motivation of Boosted Dark Matter 2. Other motivations

 $\cdot Z_3$ semi-annihilating DM DM $m_Y < m_{\rm DM}$ dark matter: $\gamma_{\rm DM} \approx 1.25$ Y DM DM Self-annihilating DM dark matter: DM $\gamma_{\rm DM} = 1.5$ DN DM

Decaying dark matter:

DM

X

 $\gamma_X = m_{\rm DM}/2m_X$